
Subject: OT: XTC fans . . . ?

Posted by [Sarah](#) on Mon, 22 Jan 2007 03:47:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

gt;

>>>>>all native plugs, no effect. Disabled network card and USB in bios.

>

> It

>

>>>>>gives error everytime immediately on closing Paris even if no project

>

>

>>>>>loaded. I'm stumped at this point. MB is Abit NF7-2G with AMD 2400+

>

> and

>

>>>>>nvidia geforce 2 video card.

Subject: Re: XTC fans . . . ?

Posted by [uptown jimmy](#) on Mon, 22 Jan 2007 03:55:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

etimes a

>>>>>>>bluescreen

>>>>>>>

>>>>>>>or loss of video resolution.

>>>>>>>I have the card in slot 3, using the Matrox 450 video card. I also

>>>>>>>reinstalled Paris(3.0) to the C root drive.

>>>>>>>Any help appreciated.

>>>>>>>Thanks,

>>>>>>>Edna

>>>>>>>

>>>>>>>

>>>>>>>

>>>>>>>

>>>>>

>>>>

>>>

>>

>To go native:

.....to use a DAW platform that depends on the native processing power of the computer only rather than using onboard DSP processing power as in Pro Tools, or Paris.

I have also *gone native* whils't living in the tropics amongst the indigenous peoples of southern Mexico and central America.....the adoption

Subject: Re: XTC fans . . . ?

Posted by [Tom Bruhl](#) on Mon, 22 Jan 2007 07:38:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

>

>>>>give you 16 analog ins and 12 analog out when you have the Presonus

>>>>Digimax FS plugged into it.

>>>>

>>>>What features are you hoping to get in th eaudio interface your looking

>>>>

>>>>for?

>>>>How much I/O?

>>>>How many Mic -Pres?

>>>>

>>>>

>>>>

>>>>Chris

>>>>

>>>>Brandon wrote:

>>>>

>>>>

>>>>>John,

>>>>>you are correct.

>>>>>My mistake I was looking at the Presonus FireStudio not the Digimax FS.

>>>>>Hmmm.. I might call Morgan and get the Presonus Fire Studio instead.

>>>>>

>>>>>Anyway thanks fo rthe heads up.

>>>>>b

>>>>>

>>>>>

>>>>>

>>>>>

>>>>>

>>>>>

>>>>>

>>>>>

>>>>>John <no@no.com> wrote:

>>>>>

>>>>>

>>>>>>Brandon, the Digimax FS does not have firewire unless I'm missing

>>>>>>something. I have 3 of em. Also, a little trick about them.....

>>>>>>You

>>>>>>

>>>>>>

>>>>>
>>>>>
>>>>>>have 8 pres but the first 2 are instrument level for plugging electric
>>>>>>
>>>>>>guitars/bass guitars into. If you plug line level in they will sound
>>>>>>
>>>>>>like shit (hissy) so you're down to 6 pres.....but wait.....If
you
>>>>>>
>>>>>>your line ins into the INSERTS for 1 & 2 on the back all is perfect

>>>>>>again. They didn't document that and I had to call the company.
>>>>>>
>>>>>>Regarding latency, i got the 9652 rme and have all 3 going in the

>>>>>>adats.
>>>>>>
>>>>>>
>>>>>>
>>>>>>
>>>>>>That's an expensive card \$500 or so but I know latency is a big deal.
>>>>>>
>>>>>>
>>>>>>
>>>>>>
>>>>>>Since the digimax doesn't have firewire you have to adat in so you

>>>>>>really want a card on the motherboard to do that with I think.
>>>>>>
>>>>>>Still learning,
>>>>>>John
>>>>>>
>>>>>>Brandon wrote:
>>>>>>
>>>>>>
>>>>>>>Actually I think I will hook them both up via firewire directly
>>>>>>>to the comp. Then I will monitor thru the Presonus.
>>>>>>>It claims to have 0 latency. I will just have to test it both ways.
>>>>>>>
>>>Either
>>>
>>>>>>>way that should give me the ability to record 32 inputs at one time.
>>>>>>>
>>>>16
>>>>
>>>>>>>
>>>>>>>
>>>>>>>analog

>>>>>
>>>>>
>>>>>>>and 16 ADAT plus midi.
>>>>>>>Dont know if the computer or firewire bandwidth can handle recordin
>>>>>>>
>>>gthat
>>>
>>>>>>>many tracks at once but the hardware capability is there.
>>>>>>>
>>>>>>>
>>>>>>>
>>>>>>>"Brandon" <a@a.com> wrote:
>>>>>>>
>>>>>>>
>>>>>>>For now it is going to be:
>>>>>>>
>>>>>>>Cubase SX3
>>>>>>>1 MOTU 8 pre (via Firewire)
>>>>>>>1 Presonus Digimax FS (linked to MOTU via ADAT)
>>>>>>>2 DBX 586 preamps
>>>>>>>Monitors my Mackie 824s
>>>>>>>ASUS MB A7N8X-Deluxe E
>>>>>>>Windows XP
>>>>>>>XP3000+ CPU
>>>>>>>2G Ram
>>>>>>>1 10k rpm OS drive
>>>>>>>1 10k rpm Audio drive
>>>>>>>1 7200 rpm maxtor for the OS temp file only. (would I be better
off
>>>>>>>
>>>>with
>>>>
>>>>>>>out this?)
>>>>>>>1 firewire card w/TI chipset
>>>>>>>
>>>>>>>

Subject: Re: XTC fans . . . ?
Posted by [Dempsey](#) on Mon, 22 Jan 2007 13:35:40 GMT
[View Forum Message](#) <> [Reply to Message](#)

5762
>>>>>
>>>
>>>
>>
>> --

>> Chris Ludwig
>> ADK
>> chrisl@adkproaudio.com <mailto:chrisl@adkproaudio.com>
>> www.adkproaudio.com <http://www.adkproaudio.com/>
>> (859) 635-5762
>
>"Dimitrios" <musurgio@otenet.gr> wrote:

>5) VSTI support for Paris.
>I am working on this...
>By now the best candidate is Fruityloops incredible program that works as
>VST plugin !
>The only major problem is the time sync which would be solved if Fruityloops
>could accept MTC as input.
>For now it only sends MTC but Paris refuses to sync to Fruityloops mtc output
>in anyway I tried...
>If you email them asking for MTC input implementation at fruityloops maybe
>they do that for us...
>

Subject: Re: XTC fans . . . ?
Posted by [Sarah](#) on Tue, 23 Jan 2007 00:42:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

st zero latency solution. Yes, it will cost
twice what the laptop does but it's the way to go.

TCB

"David Evan" <davidevanmusic@yahoo.com> wrote:
>hey everybody,
>it's been a while since i've been here. still using paris but about to
>sell
>everything (i may keep paris so that in ten years when suddenly, everybody's
>drooling for that great, "vintage paris sound" i'll sell it and retire).
>i
>have mics, pres, racks, etc. i'm selling it because i'm about to move out
>of my home and live a life of touring on the road. so, i need to get a
>laptop and a mobile recording setup for recording simple demos on the road.
>i'm keeping one at4050 for vocals, and am planning to get a rode nt4 for
>stereo micing my ac. guit. any suggestions about programs and firewire
>micpre interfaces?
>
>thanks!
>-david evan
>www.myspace.com/davidevanmusic

>

>Hi David,

For firewire interfaces. These are ones I've used and know sound good and work.

They are all cross platform. In no particular order.

Focusrite Saffire LE

Focusrite Saffire Pro 26i/o

Presonus Firepod

TC Electronic Konnekt 24D (it has issues with Cakewalk Sonar)

MOTU 828

MOTU 8pre

MOTU 896

RME Fireface 400

RME Fireface 800

(RME and MOTU would be the top 2 for sound quality with the the TC in a close 3rd)

If it's not on the list then I probably have had problems with and don't feel like ranting...:)

Software -

Cross platform -

Steinberg Cubase 4

Ableton Live 6

PC -

Magix Samplitude Professional

Apple-

Apple Logic

MOTU Digital performer

laptops -

ADK 1Q (shameless plug)

or

Apple Mac Book pro

David Evan wrote:

> hey everybody,
> it's been a while since i've been here. still using paris but about to sell
> everything (i may keep paris so that in ten years when suddenly, everybody's
> drooling for that great, "vintage paris sound" i'll sell it and retire). i
> have mics, pres, racks, etc. i'm selling it because i'm about to move out
> of my home and live a life of touring on the road. so, i need to get a
> laptop and a mobile recording setup for recording simple demos on the road.
> i'm keeping one at4050 for vocals, and am planning to get a rode nt4 for
> stereo micing my ac. guit. any suggestions about programs and firewire
> micpre interfaces?
>
> thanks!
> -david evan
> www.myspace.com/davidevanmusic
>
>

--

Chris Ludwig

ADK Pro Audio

(859) 635-5762

www.adkproaudio.com

chrisl@adkproaudio.com Check for IRQ sharing and also that DMA "IS" checked in your hardware list

for the hard drive you're writin

Subject: Re: XTC fans . . . ?

Posted by [uptown jimmy](#) on Tue, 23 Jan 2007 01:19:59 GMT

[View Forum Message](#) <> [Reply to Message](#)

gt;>>

>>>>

>>>>

>>>>>What kind of issues is the Presonus FireStudio having?

>>>>>

>>>>>

>>>>>

>>>>>

>>>>>

>>>>>

>>>>>"brandon" <a@a.com> wrote:

>>>>>

>>>>
>>>>
>>>>
>>>>
>>>>>Well..I would like to be able to record an entire band at one time if
>>>>>
>>>>>
>
>
>
>>>>>neded.
>>>>>Inclding a live drumset.. Also I would like SPDIF in and out, ADAT,
>>>>>
>>>>>
>MANI
>
>
>>>>>OUS and HEADPHONE MIX OUTS for different headpone mix. As many mic pres
>>>>>
>>>>>
>>>>>
>>>>>
>>>>>
>>>>>as
>>>>>
>>>>>
>>>>>
>>>>>
>>>>>
>>>>>possible with 48v and pads.
>>>>>as many ous as possible. i dont use outs that much excep for monitoring
>>>>>
>>>>>
>>>>>
>>>>>
>>>>>
>>>>>
>>>>>and
>>>>>
>>>>>
>>>>>
>>>>>
>>>>>
>>>>>headphones, but I would like them for experimentation and new routing
>>>>>
>>>>>
>
>
>

>>>>>techniques
>>>>>in the future.
>>>>>all under\$1200

>>>>>
>>>>>
>>>>>
>>>>>
>>>>>
>>>>>
>>>>>
>>>>>
>>>>>

>>>>>Chris Ludwig <chrisl@adkproaudio.com> wrote:

>>>>>
>>>>>
>>>>>
>>>>>
>>>>>

>>>>>>Hi Brandon,
>>>>>>Don't get it.

>>>>>>The firestudio is having lots of hardware issues. The MOTU 8 Pre will

>>>>>>
>>>>>>

>
>
>

>>>>>>>give you 16 analog ins and 12 analog out when you have the Presonus

>>>>>>>
>>>>>>>

>
>
>

>>>>>>>Digimax FS plugged into it.

>>>>>>>

>>>>>>>What features are you hoping to get in th eaudio interface your looking

>>>>>>>

>>>>>>>for?

>>>>>>>How much I/O?

>>>>>>>How many Mic -Pres?

>>>>>>>

>>>>>>>

>>>>>>>

>>>>>>>Chris

>>>>>>>

>>>>>>>Brandon wrote:

>>>>>>>

>>>>>>>

>>>>>>>

>>>>>>>

>>>>>>
>>>>>>
>>>>>>>John,
>>>>>>>you are correct.
>>>>>>>My mistake I was looking at the Presonus FireStudio not the Digimax
>>>>>>>
>>>>>>>
>FS.
>
>
>>>>>>>Hmmm.. I might call Morgan and get the Presonus Fire Studio instead.

Subject: Re: XTC fans . . . ?
Posted by [Sarah](#) on Tue, 23 Jan 2007 06:19:21 GMT
[View Forum Message](#) <> [Reply to Message](#)

record 32 inputs at one
>>>>>>>>>>
>>>>>>>>>>
>time.
>
>
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>16
>>>>>>>
>>>>>>>
>>>>>>>
>>>>>>>
>>>>>>>
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>analog
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>>and 16 ADAT plus midi.
>>>>>>>>>>>Dont know if the computer or firewire bandwidth can handle recordin
>>>>>>>>>>>
>>>>>>>>>>>

>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>
>>>>>>gthat
>>>>>>
>>>>>>
>>>>>>
>>>>>>
>>>>>>
>>>>>>>>>>many tracks at once but the hardware capability is there.
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>"Brandon" <a@a.com> wrote:
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>For now it is going to be:
>>>>>>>>>>
>>>>>>>>>>Cubase SX3
>>>>>>>>>>1 MOTU 8 pre (via Firewire)
>>>>>>>>>>1 Preonus Digimax FS (linked to MOTU via ADAT)
>>>>>>>>>>2 DBX 586 preamps
>>>>>>>>>>Monitors my Mackie 824s
>>>>>>>>>>ASUS MB A7N8X-Deluxe E
>>>>>>>>>>Windows XP
>>>>>>>>>>XP3000+ CPU
>>>>>>>>>>2G Ram
>>>>>>>>>>1 10k rpm OS drive
>>>>>>>>>>1 10k rpm Audio drive
>>>>>>>>>>1 7200 rpm maxtor for the OS temp file only. (would I be better
>>>>>>>>>>
>>>>>>>>>>
>>off
>>
>>
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>with
>>>>>>>
>>>>>>>
>>>>>>>
>>>>>>>

chrisl@adkproaudio.com <mailto:chrisl@adkproaudio.com>
www.adkproaudio.com <http://www.adkproaudio.com/>
(859) 635-5762I know they use a kinda wierd way to get to it, but I've not seen anything here that scared me yet with the Creamware ASIO drivers... are we talking just ASIO in general or ASIO on a laptop? I seriously would like to know, as I'm looking to build a laptop to use live and I'm looking hard at Sonar for that because I simply must have midi/wav lock and a playlist capability that's fast to use/edit. Stability is also a must have, there are no second takes live...
If I'm about to step in warm gooey stuff, brotha show me the way :)

AA

"Chris Ludwig" <chrisl@adkproaudio.com> wrote in message
news:45da5112\$1@linux...

> HI Aaron,
> The ASIO driver has a some compatibility issues with Sonar which both
> companies are aware and supposedly dealing with .
> Cakewalk has their own "unique way of ASIO support.

>
> Chris

>
>
> Aaron Allen wrote:

>
>>Now you have my curiosity up. Why no Sonar?
>>AA

>>
>>
>>"Chris Ludwig" <chrisl@adkproaudio.com> wrote in message
>>news:45da334e\$1@linux...

>>
>>>Hi David,
>>>
>>>For firewire interfaces. These are ones I've used and know sound good and
>>>work.

>>>
>>>They are all cross platform. In no particular order.

>>>
>>>Focusrite Saffire LE
>>>Focusrite Saffire Pro 26i/o
>>>Presonus Firepod
>>>TC Electronic Konnekt 24D (it has issues with Cakewalk Sonar)
>>>MOTU 828
>>>MOTU 8pre
>>>MOTU 896

>>>RME Fireface 400
>>>RME Fireface 800
>>>
>>>(RME and MOTU would be the top 2 for sound quality with the the TC in a
>>>close 3rd)
>>>
>>>If it's not on the list then I probably have had problems with and don't
>>>feel like ranting...:)
>>>
>>>
>>>Software -
>>>
>>>Cross platform -
>>>Steinberg Cubase 4
>>>Ableton Live 6
>>>
>>>PC -
>>>Magix Samplitude Professional
>>>
>>>
>>>Apple-
>>>
>>>Apple Logic
>>>
>>>MOTU Digital performer
>>>
>>>
>>>
>>>laptops -
>>>
>>>ADK 1Q (shameless plug)
>>>or
>>>Apple Mac Book pro
>>>
>>>
>>>David Evan wrote:
>>>
>>>>hey everybody,
>>>>it's been a while since i've been here. still using paris but about to
>>>>sell
>>>>

Subject: Re: XTC fans . . . ?

Posted by [uptown jimmy](#) on Wed, 24 Jan 2007 04:33:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

gt;>>>> time.

