

---

Subject: Re: My UPS keeps clicking...?

Posted by [Deej \[1\]](#) on Sun, 20 Nov 2005 21:59:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

"DJ" <[animix\\_spam-this-ahole\\_@animas.net](mailto:animix_spam-this-ahole_@animas.net)> wrote in message  
news:43a460b9@linux...

> I will admit that the Mac is a much prettier Borg.....perhaps a Borgette?

> I'm sure gonna wake up one day and notice a heatsink with a spinning fan

> where my right eye used to be

>

> ;o)

>

> "Jamie K" <[Meta@Dimensional.com](mailto:Meta@Dimensional.com)> wrote in message news:43a45cf8@linux...

>>

>> You are already one with the Borg, Deej. Choose your Borg. On Slashdot

>> the Borg icon is reserved for Microsoft, and for good reason.

>>

>> Not that you shouldn't feel free to use whatever system you feel does

>> the job for you. Enjoy what you dig. And dig deep. ;^)

>>

>> Cheers,

>> -Jamie

>> <http://www.JamieKruz.com>

>>

>>

>> DJ wrote:

>> > I was down an the local Mac store here yesterday. I played around with

>> > a

> new

>> > monster G5. I must say that \*elegant in every way\* was my

>> > impression.....but that's my impression of Pro Tool HD system

>> > too.

>> > IMO, with both of them, the purchaser becomes the \*screwee\* whenever

>> > the

>> > moneymonkey needs a new injection of cash. Thing is, with a little

> tweaking,

>> > I can achieve at least an equal, if not better result with alternative

>> > platforms and not become one with the Borg.

>> >

>> > ;o)

>> >

>> > "James McCloskey" &

---

---

Subject: My UPS keeps clicking...?

Posted by [Kim](#) on Sun, 20 Nov 2005 22:47:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

eed to poke around in my bios some more but my AMD 64  
4200 dual core CPU is operating at 2200MHz? Is this normal? Does this mean  
each core is operating at this speed, or both?

It's a bit faster than the XP 3000 that I was using on my old mobo, but  
nothing tht would call for a tickertape parade.

Perhaps the juju is in the ability of these to handle heavier processing  
loads?

Right now, I'm underwhelmed, but I haven't had a chance to really use this  
for anything other than booting Windows and loading drivers.

;oPHmmmm.....just checked my system info and now it shows two CPU's each  
running at 2202MHz. This wasn't the situation last night. Also, the system  
is running faster this morning than it was last night when I was having  
problems with the drivers.....much faster. I'll post more about this as I  
get into it.

Now that I've Ghosted the system drive, I'm getting ready to do the OS  
tweaking., load drivers, etc.

I'll be coming up for air in a couple of hours.

"DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message  
news:43a45

---

---

Subject: Re: My UPS keeps clicking...?

Posted by [Kim](#) on Sun, 20 Nov 2005 23:16:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

lt;excelsm@hotmail.com> wrote in message

>> > news:43a43ddf\$1@linux...

>> >

>> >>Sorry about mucking up Dee's thread. I wasn't looking to start the  
> whole

>> >>Mac vs. PC debate. I was just thinking out loud. I go through this  
> same

>> >>kind of thing every time I build a new PC or upgrade, it's kind of a  
> PITA.

>> >> I was just wondering if upgrading an Apple Intel mac will have the  
>> >> same

>> >>kind of issues? I hope they get it right. I wonder if Apple will have  
>> >

>> > affordable

>> >  
>> >&g

---

---

Subject: Re: My UPS keeps clicking...?  
Posted by [Rod Lincoln](#) on Sun, 20 Nov 2005 23:31:49 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

n it on  
a  
> >>>>  
> >>>>standard  
> >>>>  
> >>>>  
> >>>>>PC with the new chip set. So it might be cheaper to wait.  
> >>>>>  
> >>>>>I guess will know more Jan. 9th. A \$299 Mac mini with a built in TV  
> >>  
> >>tuner  
> >>  
> >>>>>would be vary cool. A dual boot, multi processor tower with standard  
> >>  
> >>PCI  
> >>  
> >>>>>slots that could run Paris XP and Mac OSX would be even cooler!  
> >>>>>  
> >>>>>Anybody have any thoughts?  
> >>>>>  
> >>>>>James  
> >>>>  
> >>>>  
> >>>>  
> >>  
> >  
> >I have a feeling that you will need the VIA drivers...  
Maybe it's time to move the '450 to another box and get a '750??

David.

DJ wrote:  
> Hmmmm.....just checked my system info and now it shows two CPU's each  
> running at 2202MHz. This wasn't the situation last night. Also, the system  
> is running faster this morning than it was last night w

---

---

Subject: Re: My UPS keeps clicking...?  
Posted by [Kim](#) on Mon, 21 Nov 2005 00:02:07 GMT

---

nothing else is sharing with them.. I'm getting ready to install my UAD-1 cards.

Now the question.....I wondering if ACPI is intelligent enough so that even if I come up with the UAD-1 cards sharing IRQ's with the RME cards or other devices, they will still work. I seem to recall Brian T saying he had lots of stuff sharing and was having no problems.

If I start having problems, I'm going to need to revert to standard PC mode. I have forgotten how to do this, short of reinstalling Windows. I wrote it down somewhere but I can't find it.

If someone would be so knnd, it would be appreciated.

Thanks,

Deeji don't think you will have an issue with ACPI... but here it is:

Device manager, Expand Computer Icon, Right click on ACPI PC and "update driver"

- No, not this time - Next
- Install from a list - Next
- Don't search, I will choose - Next
- Scoll down to Standard PC... you can figure it out from here (I hope).

;-)

David.

DJ wrote:

> My current isinstall is ACPI. I've got a 13 slot Magma here with my 3 x RME  
> PCI cards onboard. The Magma host card is in PCI slot #4 which doesn't share  
> an IRQ with any other system devices. Right now the RME cards are on IRQ 3  
> and nothing else is sharing with them.. I'm getting ready to install my  
> UAD-1 cards.

>

> Now the question.....I wondering if ACPI is intelligent enough so that  
> even if I come up with the UAD-1 cards sharing IRQ's with the RME cards or  
> other devices, they will still work. I seem to recall Brian T saying he had  
> lots of stuff sharing and was having no problems.

>

> If I start having problems, I'm going to need to revert to standard PC mode.  
> I have forgotten how to do this, short of reinstalling Windows. I wrote it  
> down somewhere but I can't find it.  
>  
> If someone would be so knnd, it would be appreci

---

---

Subject: Re: My UPS keeps clicking...?  
Posted by [Rod Lincoln](#) on Mon, 21 Nov 2005 01:01:08 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

br />  
>>Cheers,  
>> -Jamie  
>> <http://www.JamieKruz.com>  
>>  
>>  
>>Aaron Allen wrote:  
>>  
>>>No doubt the 7 of 9 model you were looking at.  
>>>AA  
>>>  
>>>  
>>>"DJ" <[animix\\_spam-this-ahole\\_@animas.net](mailto:animix_spam-this-ahole_@animas.net)> wrote in message  
>>>news:43a460b9@linux...  
>>>  
>>>  
>>>>I will admit that the Mac is a much prettier Borg.....perhaps a  
>  
> Borgette?  
>  
>>>>I'm sure gonna wake up one day and notice a heatsink with a spinning fan  
>>>>where my right eye used to be  
>>>>  
>>>>;o)  
>>>>  
>>>>"Jamie K" <[Meta@Dimensional.com](mailto:Meta@Dimensional.com)> wrote in message news:43a45cf8@linux...  
>>>>  
>>>>  
>>>>>You are already one with the Borg, DeeJ. Choose your Borg. On Slashdot  
>>>>>the Borg icon is reserved for Microsoft, and for good reason.  
>>>>>  
>>>>>Not that you shouldn't feel free to use whatever system you feel does  
>>>>>the job for you. Enjoy what you dig. And dig deep. ;^)  
>>>>>  
>>>>>Cheers,  
>>>>> -Jamie  
>>>>> <http://www.JamieKruz.com>

>>>>  
>>>>  
>>>>DJ wrote:  
>>>>  
>>>>  
>>>>>I was down an the local Mac store here yesterday. I played around with  
>>>>>a  
>>>>  
>>>>new  
>>>>  
>>>>  
>>>>>monster G5. I must say that \*elegant in every way\* was my  
>>>>>impression.....but that's my impression of Pro Tool HD system  
>>>>>too.  
>>>>>IMO, with both of them, the purchaser becomes the \*screwie\* whenever  
>>>>>the  
>>>>>moneymonkey needs a new injection of cash. Thing is, with a little  
>&gt;

---

---

Subject: Re: My UPS keeps clicking...?  
Posted by [Craig](#) on Mon, 21 Nov 2005 10:19:49 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

gt;>>>>>I'm thinking, that even though Apple will be using Intel hardware  
>>>>  
>>>>software  
>>>>  
>>>>  
>>>>>>locking technology, some body will hack the new Mac OS and run it on  
>  
> a  
>  
>>>>>>standard  
>>>>>>  
>>>>>>  
>>>>>>  
>>>>>>>PC with the new chip set. So it might be cheaper to wait.  
>>>>>>>  
>>>>>>>I guess will know more Jan. 9th. A \$299 Mac mini with a built in TV  
>>>>  
>>>>tuner  
>>>>  
>>>>  
>>>>>>>would be vary cool. A dual boot, multi processor tower with standard  
>>>>  
>>>>PCI  
>>>>



Subject: Re: My UPS keeps clicking...?

Posted by [Neil](#) on Mon, 21 Nov 2005 15:15:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

ase

- > properly yet, but all RME cards, UAD-1 cards and the Matrox cards are
  - > working properly. The RME cards and ll of the UAD cards are in the Magma.
  - > Matrox video cards are on IRQ 16, RME Cards are on IRQ 19, one of the UAD
  - > 1's in on IRQ 18 (not shared) and 3 x of the UAD-1 cards are on IRQ 17
  - > sharing with the Marvell LAN controller. Hope this doesn't bite me, but I
  - > can always disable it when using Cubase I guess. I only use LAN to transfer
  - > files between computers prior to mixing anyway.
  - >
  - > The Magma seems much friendlier working under ACPI than my old SBS
  - > chassis.....guess that's why they're recommended.....eh? ;o)
  - >
  - > System is running fast and smooth, UAD-1 plugs are authorized and working
  - > and I haven't even gotten into the \*in depth\* tweaks yet where all
  - > non-essential background services are turned off .
  - >
  - > I just opened a 48 track Cubase project with 40 tracks of audio loaded.
  - > Playing this back on my old AMD XP 3000 system on the ASUS A7V8X mobo
  - > (333MHz bus speed) used to use up between 40 to 50% of my CPU cycles with
  - > 512k buffer settings and wouldn't even play back at 64k buffer settings. On
  - > this new system, it hums along steadily at 12% at 512k buffers and
- 

Subject: Re: My UPS keeps clicking...?

Posted by [Kim](#) on Mon, 21 Nov 2005 21:22:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

- . I forget the exact figures
  - > he had observed, but it was on the order of dozens of simultaneous
  - > record and playback tracks.
  - >
  - > The price he quoted was a little prihibitive - something like \$3000
  - > for 100 Gigs or there about.
  - >
  - > - Paul Artola
  - > Ellicot
- 

Subject: Re: My UPS keeps clicking...?

Posted by [Kim](#) on Mon, 21 Nov 2005 21:27:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

t City, Maryland

>

> On 18 Dec 2005 02:08:16 +1000, "James McCloskey" <excelsm@hotmail.com>  
> wrote:  
>  
>>  
>>Some interesting info on RAM drives.  
>>  
>> [http://www.tomshardware.com/2005/12/05/hyperos\\_dram\\_hard\\_drive\\_on\\_the\\_block/index.html](http://www.tomshardware.com/2005/12/05/hyperos_dram_hard_drive_on_the_block/index.html)  
>>  
>>  
>>James  
>Well, it's calibrated again, but this didn't make any difference. It's  
still not communicating with Cubase SX.

"DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message  
news:43a4dd92@linux...  
> I forgot how.  
>  
> ;o}  
>  
>USB right?  
Try a different USB port or a add on card.  
AA

"DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message  
news:43a50568@linux...  
> Well, it's calibrated again, but this didn't make any difference. It's  
> still not communicating with Cubase SX.  
>  
>  
> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message  
> news:43a4dd92@linux...  
>> I forgot how.  
>>  
>> ;o}  
>>  
>>  
>  
>.....dualprocessor shit;-D).....doublebrains can be a problem if the one  
don't know what the other is doing or will do. So, do you have the latest  
Cubase revision that's built to take care of these idiotic doublebrains, so  
you can calibrate them correct?-)

Erling

"DJ" <animix\_spam-this-ahole\_@animas.net> skrev i melding

news:43a50568@linux...

> Well, it's calibrated again, but this didn't make any difference. It's  
> still not communicating with Cubase SX.

>  
>

> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message  
> news:43a4dd92@linux...

>> I forgot how.

>>  
>> ;o}  
>>  
>>

>  
>I'll give it a try.

The real trouble started right after my driver load for the Houston controller hung when installing off the factory CD. I had to shut down Windows in mid stride and that's when everything went to hell in a handbasket. I had some other Houston drivers that I had downloaded and though these didn't hang the system, they didn't work either. I finally had so much weirdness happening that it ended up with having BSOD's. I removed it from device manager, unplugged the controller, went into safe mode and hunted down the driver and killed it by renaming it. Then I was still getting BSOD's so I uninstalled my UAD-1 software and they stopped. Reinstalled and they started again....the IRQ less than equal thing.....so I went back into saf

---

Subject: Re: My UPS keeps clicking...? Mine too.....  
Posted by [Dale](#) on Tue, 22 Nov 2005 11:10:48 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

>  
> doublebrains,  
>> > so  
>> >> you can calibrate them correct?-) )  
>> >>  
>> >> Erling  
>> >>  
>> >> "DJ" <animix\_spam-this-ahole\_@animas.net> skrev i melding  
>> >> news:43a50568@linux...  
>> >> > Well, it's calibrated again, but this didn't make any difference.  
> It's  
>> >> > still not communicating with Cubase SX.  
>> >> >  
>> >> >  
>> >> > "DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message  
>> >> > news:

---

---

Subject: Re: My UPS keeps clicking...? Mine too.....  
Posted by [Rod Lincoln](#) on Tue, 22 Nov 2005 14:53:22 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

snafus...

>>

>> So I've been playing this rig for about a week and feeling really good and

>> my giga box has started spontaneously rebooting from HEAT ISSUES!!!

>>

>> The end

>>

>> Chuck

>

>Are you running Win XP? If so, try unloading one of the ADAT cards from MEC 1 and putting it in MEC 2. Also, do you have a sync cable from the BNC out of MEC 1 to the BNC in of MEC 2?

"Deadmeat" <[scott@postmodernblues.com](mailto:scott@postmodernblues.com)> wrote in message news:43a59445\$1@linux...

>

> Hi all -

> Been messing with V3 for a bit and noticed a real problem.

> Testing on a 3-card system, 2 MECs installed (on A and B cards), 2 ADAT and one Sync on MEC A, 1 8-input on MEC B.

>

> Can record fine with MIX A, MEC A. Getting no sound at all on any inputs for MEC B, Mix B. Tried to load V2.2, and all is fine - can record on MEC B inputs all day long. When using V3, see input lights on module, but have no meters in mixer and no sound - MEC B syncing to WC fine - plays sound accross all submixes just fine from projects recorded on V2.

>

> Any Thoughts?I seem to be a crash magnet

---

Subject: Re: My UPS keeps clicking...? Mine too.....  
Posted by [EK Sound](#) on Tue, 22 Nov 2005 22:40:20 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

>

>

> AA

>

>

> "John" <[no@no.com](mailto:no@no.com)> wrote in message news:43a5d0b1@linux...

>

>>I DO have BOTH Native and EDS plugs rendering if I do the SPDIF trick which  
>>doesn't use the render function. Is there any way to get EQs also? I  
>>would really like a way to render all three.

>>

>>Thanks

>>

>>Here's the trick I do with SPDIF:

>>

>>

>>SPDIF Rendering

>>-----

>>Patchbay workaround for bouncing tracks and rendering plugins

>>

>>Tired of zeroing/clearing a mix to bounce a track or tracks to a new file?

>>Or wish you could render native plugins while listening and adjusting in

>>context. No problem.

>>

>>Open the Patch Bay. Clear all your SPDIF I/O connections. Physically (as  
>>in, on the back of your Paris 442 or MEC) loop your Paris SPDIF in to your  
>>Paris SPDIF out with a short cable. Go back to the Patch Bay.

>>

>>In the Patch Bay, connect the "Mixer Insert" SEND of the source channel  
>>for the bounce to the left SPDIF output (dL) on your 442 or MEC. Connect  
>>the SPDIF left input (dL) back to the same channel's "Mixer Insert" Return  
>>to complete the loop. Now connect the same left SPDIF output to the  
>>"Submixer Input" of the Destination channel you want to bounce/record to.  
>>Select "External" on the EDS insert on the source channel.

>>

>>Enable Record on the Destination channel. That's it. Record away. You  
>>can use your mixer normally while you bounce with no ill effect. And in a  
>>case of good fortune, since the EDS inserts are after the native inserts,  
>>any active plugins will be printed while bouncing. Great for rendering  
>>AutoTune or various other plugin settings for different song sections. For  
>>the price of time and disk space, you have unlimited plugins.

>>

>>Example. You have a track on track 10 and you want to render this to  
>>track 11. In the Patchbay:

&gt;

---

Subject: Re: My UPS keeps clicking...? Mine too.....

Posted by [Kim](#) on Tue, 22 Nov 2005 23:30:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

of time and disk space, you have unlimited plugins.

Example. You have a track on track 10 and you want to render this to  
track 11. In the Patchbay:

Mixer-A channel 11 connects to MEC-Master-A Digital In Left  
MEC-Master-A Digital In Left connects to Mixer-A-Insert Return10  
MEC-Master-A Digital Out Left connects to Mixer-A-Insert Send10  
Select "External" on the EDS insert on the source channel.

Aaron Allen wrote:

> EDS rendering never worked, never would/will. The Native effects render  
> along as normal system plugs... EDS run off the EDS card, so it's not  
> possible since those are realtime CPU's.  
> AA  
>  
> "John" <no@no.com> wrote in message news:43a565b0@linux...  
>  
>>I was testing rendering and it was doing the natives effects but not the  
>>EDS or Paris EQ's. I'm just letting other know who may be wondering.  
>>  
>>Also, if you want a cool core dump in XP, start a render and then hit  
>>CTRL-ALT-DEL and kill Paris. My mistake, I was closing paris and didn't  
>>realize the render was still going and it stopped responding. Ka blamo!  
>>  
>>John  
>  
>  
>Yup, sure is but you'll only do 2 tracks at a time, max. Run it through the  
bus as a mixdown muting all other tracks through the submix group or as  
individual channels. Take the resultant L/R files and place them in a track.

OR

There is an easier way. Use the Paris VST plugin on a native insert. They  
did a fantastic job of emulating the EQ on the port.

AA

---

Subject: Re: My UPS keeps clicking...? Mine too.....  
Posted by [Kim](#) on Wed, 23 Nov 2005 00:01:30 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

>>Mixer-A channel 11 connects to MEC-Master-A Digital In Left  
>>MEC-Master-A Digital In Left connects to Mixer-A-Insert Return10  
>>MEC-Master-A Digital Out Left connects to Mixer-A-Insert Send10  
>>Select "External" on the EDS insert on the source channel.  
>>  
>>

>>  
>>Aaron Allen wrote:  
>>  
>>>EDS rendering never worked, never would/will. The Native effects render  
>>>along as normal system plugs... EDS run off the EDS card, so it's not  
>>>possible since those are realtime CPU's.  
>>>AA  
>>>  
>>>"John" <no@no.com> wrote in message news:43a565b0@linux...  
>>>  
>>>  
>>>>I was testing rendering and it was doing the natives effects but not the  
>>>>EDS or Paris EQ's. I'm just letting other know who may be wondering.  
>>>>  
>>>>Also, if you want a cool core dump in XP, start a render and then hit  
>>>>CTRL-ALT-DEL and kill Paris. My mistake, I was closing paris and didn't  
>>>>realize the render was still going and it stopped responding. Ka blamo!  
>>>>  
>>>>John  
>>>  
>>>  
>nope  
John <no@no.com> wrote:  
>That's a good idea. I don't guess there is a way to copy the graphic  
>EQ settings to the VST plugin is there?  
>  
>Aaron Allen wrote:  
>> Yup, sure is but you'll only do 2 tracks at a time, max. Run it through  
the  
>> bus as a mixdown muting all other tracks through the submix group or as  
  
>> individual channels. Take the resultant L/R files and place them in a  
track.  
>>  
>> OR  
>>  
>> There is an easier way. Use the Paris VST plugin on a native insert. They  
  
>> did a fantastic job of emulating the EQ on the port.  
>>  
>>  
>> AA  
>>  
>>  
>> "John" <no@no.com> wrote in message news:43a5d0b1@linux...  
>>  
>>>I DO have BOTH Native and EDS plugs rendering if I do the SPDIF trick  
which

>>>doesn't use the render function. Is there any way to get EQs also? I

>>>would really like a way to render all three.

>>>

>>>Thanks

>>>

>>>Here's the trick I do with SPDIF:

>>>

>>>

>>>SPDIF Rendering

>>>-----

>>>Patchbay workaround for bouncing tracks and rendering plugins

>>>

>>>Tired of zeroing/clearing a mix to bounce a track or tracks to a new file?

>>>Or wish you could render native plugins while listening and adjusting  
in

>>>context. No problem.

>>>

---

Subject: Re: My UPS keeps clicking...? Mine too.....

Posted by [rick](#) on Wed, 23 Nov 2005 10:30:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

bibSvil4wsI1bKxXcsVwu7B/vDP4VK5ZWOx1ZwTTsewavMb2CeE  
AqzfeKQ9F9a4TWbGMmFEi80gEooxsx0JbPfmvNJD49sEkjHxTs7u5UgC2udC  
aeYnsGEWT09qo/8ACffG2wu3Ft4I0/xTarkedHaXFkW5HQSL+lawg3qjy61b  
meqN+60iewSaRHPzvt8yRgSBg8KO1Ys1I5mlOHnaRN20GPI0PP61vWPxC8f3  
DKNa/Z51W8yPvWF7GRjvhSRXSR/FPRdMt0bUvhD4z8PSgZJFj9pVPUkIST+A  
rVOa6o8+VJVdkzya7stW8P3SXMslzfWMigi4QhmJ9HUVV1bXPJUTJb3NtJHw  
DIBgqepOO3616jc/F34X3k0cNvqL6VeyN81vq9jNa7hz2cY4+tcJ4sjsdYvJ  
5ra6trqyyvyWThyUz94FSRir9453GMdFoeX/ANqTrrF1KGJ2jaAOM+n4GuX+  
KJgiv7SS2mBV4gJl2HJOOcnvyeK6fWrSOz1xRF5kjPaFg7jkgE5wO+BiuV+l  
Nj/aum2csKgzRR8yjv3x/KuunZNNnnV3ocY7EyPlxZt6hRkZxgADP4AVAIEm  
YYYYK+cMF6GrVh5c9rIL1ihdcRsvHzj+mM1TfCLlyHKr2H8IreS10PMTS2J0i  
3PkAMQuM+IK0QWZGjwCQM+hqOGeWxdJVxsJ27X5DeoNOubkXDu8CeVE3Vc5K  
Y7fjWNncdlHce8aESAKzowG4jj8BTWi8tiolbOMdiT6UguHV2JO04yCO1Tx3  
JUBdiSHGDIw9e9ProClfVlchshgC2DwAKjZDI2Dkk9+9WpZtm7DEhQAU3vii  
O5EjIzHgYC1Teo3oiits0fy9flyD71F9ICx7ZB1GRn1q7lgG7a+0uTkE9BUM  
qMq7AwlyPI9hUboNOh5Z4p+XU33HL459Aar6TafaLhWnIFvCvzPJjJx6Adya  
veKo1TUXO0nJ79M1jjfKcPbZycLjtWsdTmle+h2+hatLLqWLWHy4CAsSyyK  
SQPxxPr719geE/CU2g/DTTILuRheXkbXlxz5iuWYjA5/uKOIfD+iRoLuC2II  
CSTIkzA8DJA2r9c19v8Ai2/axsJbC4u4ktom8iNkmx