

[View Forum Message](#) <> [Reply to Message](#)

> > > > > > > > > > > > > > > >

[View Forum Message](#) [Reply to Message](#)

> > >>>

[View Forum Message](#) <> [Reply to Message](#)

> >

>
>"Cujo" <chris@nospamapplemanstudio.com> wrote in message
news:450c328a\$1@linux...
>
>
> Hey, anyone like notching out 2-3.5k or so on overheads to make room for
> vox and guitars?

Not for that reason but yes there's usually a big "U" in that region on most
of my OH tracks....mainly because the mids to low hi's are not what I'm
trying to excite

DOnBack in 1984 I was doing a show in L.A. and a guy turned me on to Plasma speakers,
they were 10K a piece. They were speaker cabinets that had no speaker cones,
they used gas and an electric arc to create a sound pressure wave.

The ones I saw at that time are no longer made, but here is the info now.

<http://www.plasmatweeter.de/>

Subject: Re: Watching paint dry
Posted by [Carl Amburn](#) on Mon, 14 Aug 2006 02:27:38 GMT
[View Forum Message](#) <> [Reply to Message](#)

> >>> "Uptown Jimmy" <johnson314@bellsouth.net> wrote in message
> > >>> news:450b584d@linux...
> > >>>> The only thing I can see for this is to "clear the Real Time
Clock
> > RAM
> > >>>> in CMOS". This would "clear the CMOS memory of date, time, and
> system
> > >>>> setup parameters by erasing the CMOS RTC RAM data".
> > >>>>
> > >>>> This involves removing the onboard battery and moving jumper cap
> from
> > >>>> pins 1-2 to pins 2-3., then back to pins 1-2, then reinstalling
the
> > >>>> battery. It says you have to enter the BIOS and re-enter data.
> > >>>>
> > >>>> Is this the thing to do?
> > >>>> "Martin Harrington" <lendan@bigpond.net.au> wrote in message
> > >>>> news:450b4d10@linux...
> > >>>>> All you need do is reset the BIOS by shorting out the relevant
> > jumper
> > >>>>> on the motherboard...it's in the manual.

> > >>>> --
> > >>>> Martin Harrington
> > >>>> www.lendaneer-sound.com
> > >>>>
> > >>>> "Uptown Jimmy" <johnson314@bellsouth.net> wrote in message
> > >>>> news:

Subject: Re: Watching paint dry
Posted by [LaMont](#) on Mon, 14 Aug 2006 02:37:26 GMT
[View Forum Message](#) <> [Reply to Message](#)

98@linux..." target="_blank">450b4198@linux...
> > >>>>> I disabled all but the com1 and lpt 1. Can't find them.
> > >>>>>
> > >>>>> Bad news is, and this is really bad news, computer won't boot
up.
> > On
> > >>>>> that black page that now doesn't flash by so fast at all, I
get
> > the
> > >>>>> error message "USB device over current status detected". Then
the
> > >>>>> computer shuts down. Won't boot up, won't let me go to BIOS to
&
